



CARIBBEAN EXAMINATIONS COUNCIL
ADVANCED PROFICIENCY EXAMINATION

MATHEMATICS

UNIT 1 – PAPER 02

2½ hours



This examination paper consists of **THREE** sections: Module 1.1, Module 1.2 and Module 1.3.

Each section consists of 2 questions.

The maximum mark for each section is 50.

The maximum mark for this examination is 150.

This examination consists of 6 printed pages.

INSTRUCTIONS TO CANDIDATES

1. **DO NOT** open this examination paper until instructed to do so.
2. Answer **ALL** questions from the **THREE** sections.
3. Unless otherwise stated in the question, all numerical answers **MUST** be given exactly **OR** to three significant figures as appropriate.

Examination material:

Mathematical formulae and tables

Electronic calculator

Ruler and graph paper


Section A (Module 1.1)

Answer BOTH questions.

1. (a) Given that $x - 1$ and $x + 2$ are factors of $f(x) = x^3 + px + q$ where p and q are integers, find p and q .


Hence, find the remainder when $x^3 + px + q$ is divided by $(x + 1)$. [7 marks]

- (b) In the diagram shown below, not drawn to scale, $AB = 2$ cm, $AC = 3$ cm and $\hat{BAC} = 120^\circ$.



Calculate to 3 significant figures

- (i) the length of BC [4 marks]
- (ii) the value of $\sin C$. [4 marks]
- (c) The diagram shown below, not drawn to scale, is a sketch of a wedge in an electrical appliance in the form of a sector of a circle, centre O and radius 4 cm. Angle AOB measures $\frac{\pi}{4}$ radians.




- (i) Show that the area of the shaded region is $2(\pi - 2\sqrt{2})$. [6 marks]
- (ii) Using the cosine rule, show that the length of the chord AB is $4\sqrt{2 - \sqrt{2}}$. [4 marks]

Total 25 marks

GO ON TO THE NEXT PAGE

2. (a) The diagram below, **not drawn to scale**, shows the graph of $y = f(x)$ which has a minimum point at $(2, -2)$.



Use this diagram to assist you in sketching the following functions:

- (i) $y = f(x - 1)$ [3 marks]
 - (ii) $y = f(x) + 3$ [3 marks]
 - (iii) $y = |f(x)|$ [3 marks]
- (b) Two sets, A and B, are defined on \mathbb{R} as follows:

$$A = \{x : 0 \leq x \leq 4\}$$

$$B = \{x : 0 \leq x \leq 8\}.$$

The function $f: A \rightarrow B$ is defined by $f: x \rightarrow x(4 - x)$.


- (i) Sketch the graph of $f: A \rightarrow B$. [3 marks]
- (ii) Find a set C such that $C \subset A$ and $f: C \rightarrow B$, is one-to-one. [3 marks]
- (iii) By considering the solutions of the equation $f(x) = 8$, show that f is NOT onto. [4 marks]
- (iv) By solving the equation $f(x) = 0$, show that $f: A \rightarrow B$ is NOT one-to-one. [4 marks]
- (v) Find the range of values of y for which the equation $f(x) = y$ possesses a solution. [2 marks]

Total 25 marks

Section B (Module 1.2)

Answer BOTH questions.

3. In the diagram shown below, **not drawn to scale**, the line $2x + 3y = 6$ meets the y -axis at A and the x -axis at B. C is the point on the line $2x + 3y = 6$ such that $AB = BC$. CD is drawn perpendicular to AC to meet the line through A parallel to $5x + y = 7$ at D.



- (a) Find the coordinates of A, B and C. [7 marks]
- (b) Find the equations of the lines CD and AD. [7 marks]
- (c) Find the coordinates of the point D. [5 marks]
- (d) Calculate the area of triangle ACD. [6 marks]

Total 25 marks

COUVA GOVERNMENT
SECONDARY SCHOOL
MURCH ST. COUVA TEL. 630-2585

4. (a) Solve $\cos 2\theta - 3 \cos \theta = 1$ for $0 \leq \theta \leq 2\pi$. [6 marks]
- (b) If $\cos A = \frac{3}{5}$, find $\tan \frac{A}{2}$. [6 marks]
- (c) Prove that $\cos^4 A - \sin^4 A + 1 = 2 \cos^2 A$. [5 marks]
- (d) Given that $\sin A = \frac{12}{13}$ and $\sin B = \frac{4}{5}$, where A and B are acute angles, find $\cos (A - B)$ and $\sin (A + B)$. [8 marks]

Total 25 marks

Section C (Module 1.3)


Answer BOTH questions.

5. (a) Given that $f(x) = x^3 - 5x^2 + 3x$, show that $f(x) = 0$ possesses a root in the interval $[\frac{1}{2}, 1]$.
By considering suitable values of x greater than 1,
show that there is another root of $f(x) = 0$ greater than 1. [7 marks]
- (b) Find
- (i) the coordinates of the stationary points of $f(x)$ [6 marks]
- (ii) the second derivative of $f(x)$, and **hence**, determine which stationary point is a local maximum and which is a local minimum. [5 marks]
- (c) If $y = \frac{1}{x^2 + 2}$, show that $\frac{d^2 y}{dx^2} = 2(3x^2 - 2)y^3$. [7 marks]

Total 25 marks

GO ON TO THE NEXT PAGE

6. (a) In the diagram given below, not drawn to scale, the area under the curve $y = (1+x)^{-1}$, $0 \leq x \leq 1$, is approximated by a set of n rectangular strips each of width $\frac{1}{n}$ units.



Show that the sum, S_n , of the areas of the rectangular strips is $\frac{1}{n+1} + \frac{1}{n+2} + \dots + \frac{1}{2n}$.

[7 marks]

- (b) (i) Show that for $f(x) = \frac{x}{x^2 + 4}$,

$$f'(x) = \frac{4 - x^2}{(x^2 + 4)^2}.$$

[4 marks]

- (ii) Hence, evaluate

$$\int_0^2 \frac{12 - 3x^2}{(x^2 + 4)^2} dx.$$

[4 marks]

- (c) (i) Sketch the curve $y = x^2 + 1$.

[3 marks]

- (ii) Find the volume obtained by rotating the portion of the curve between $x = 0$ and $x = 1$ through 2π radians about the y axis.

[7 marks]

Total 25 marks

END OF TEST